



# For Fast Control of Tough Broadleaf Weeds

## POSTEMERGENCE AND LAYBY COTTON

### Key Benefits

- Controls problem weeds like morningglory, pigweed, and nightshade
- Economical weed control at low rates per acre
- Fast-acting and highly effective on tough broadleaf weeds
- Greatly enhances activity of other herbicides in tank mixtures
- May be used alone for annual morningglory control

### Weeds Controlled

Morningglory, Nightshade, Pigweeds, Annual Sowthistle, Field Bindweed, Purslane, and other tough broadleaf weeds

### Recommended Use Rates

- For cotton with less than 3 inches of barked stem, apply with a hooded sprayer.
  - Use 1.0 to 2.0 fl oz/acre ET herbicide alone
  - Use 0.5 to 2.0 fl oz/acre ET herbicide in tank mixtures with other labeled herbicides
- For cotton with 3 inches or more of barked stem, apply as a directed spray.
  - Use 0.5 to 1.0 fl oz/acre ET herbicide in tank mixtures with other labeled herbicides

### Use Information

- Use a COC or MSO for optimum results.
- Use higher rates for larger and tougher weeds.
- Avoid contact with desired vegetation.

**North SJV:**

David Haas; (559) 799-5885

**South SJV:**

John Hubbard; (559) 804-1063

**Arizona:**

Scott Rust-Nigh; (928) 580-1649

**Regional Manager:**

David Haas; (559) 799-5885

### Control of Morningglory with ET



Before treatment



2 days after treatment  
2.0 fl oz ET + 1% COC

**NICHINO**  
AMERICA