



# For Enhanced Weed Control of Tough Broadleaf Weeds

## POSTEMERGENCE PEANUTS

### Add ET<sup>®</sup> Herbicide to the Tank to Fill the Gaps in Broadleaf Weed Control

#### Key Benefits

- ET provides faster, more complete control of tough broadleaf weeds such as morningglory, hemp sesbania, Florida pusley, Florida beggarweed, and carpetweed.
- The addition of ET in a tankmix will provide improved weed control compared to Gramoxone<sup>®</sup>, Cadre<sup>®</sup>, and 2,4-DB alone.
- Weed control begins within hours of application, reducing competition with the crop for moisture and nutrition.
- May be applied at-crack or postemergence, up to 7 days prior to harvest.
- PPO mode of action for resistance management against ALS resistant weed species.
- Economical alternative to Storm<sup>®</sup> or Cobra<sup>®</sup>.

#### Use Information


- **Application Timing:** Apply from at-crack to 7 days prior to harvest in peanuts. Application instructions for the tankmix partner should be closely followed to prevent crop injury or poor weed control.
- **Weed Height:** ET provides optimum results when applied to weeds which are less than 4 inches in height or rosettes of 3 inches or less in diameter.
- **Rate:** 1.0 – 2.0 fl oz per acre + Recommended Tankmix Partner
- **Spray Volume:** ET is a contact herbicide, thus adequate coverage is essential for optimum results. A minimum of 10 gallons of spray solution is recommended for ground application and a minimum of 5 gallons per acre for aerial application.
- **Adjuvant:** NIS @ 1 quart per 100 gallons spray solution.  
Note: The addition of COC is prohibited due to the increased level of crop injury which will occur as a result.

#### Use Recommendation

ET @ 1.0 to 2.0 fl oz + Basagran<sup>®</sup> @ 8.0 fl oz + Gramoxone @ 12.0 fl oz<sup>1</sup>

This tankmix should be applied to broadleaf weeds that are less than 4 inches in height

<sup>1</sup> This recommendation offers similar or improved weed control compared to Storm 16.0 fl oz + Gramoxone 12.0 fl at likely a reduced cost per acre.



Cadre Alone




Cadre + ET  
8 DAT

See reverse for additional information >




# ET Herbicide Efficacy

## Broadleaf Weed Control



David Jordan, NCSU, 2011


## Broadleaf Weed Control



Peanuts treated V2-V3 growth stage. (Weeds less than 1 inch).  
15 GPA 11002 Flat Fan @ 38 PSI

Eric Prostko, UGA, Ponder Farm, 2011


## Broadleaf Weed Control



Peanuts treated early postemergence. (Weeds 2-3 inches).  
15 GPA Flat Fan

Dr. Glenn Wehtje, UA, 2012

## Broadleaf Weed Control



Peanuts treated early postemergence. (Weeds 2-3 inches).  
15 GPA Flat Fan

Dr. Glenn Wehtje, UA, 2012



**NICHINO**  
AMERICA